

DALleco LS/PD LI | Sensors for light management systems



Areas of application

- Office luminaires
- Ceiling installation via LS/PD CI KIT possible

Product benefits

- VDE/VDE EMC certified system
- $V(\lambda)$ corrected light sensor element
- Individual activation/deactivation of light and presence sensor via remote control
- Presence detection angle adjustable between 40...90° via integrated shutters


Product features

- Light and presence sensor
- Presence detection via passive IR element
- Function indicator with two-color LED
- Integrated infrared remote control receiver
- Integrated pushbutton for automatic startup/deactivation of infrared receiver
- Halogen free polycarbonate plastic housing

Product datasheet

Technical data

Dimensions & weight



Length	48.0 mm
Width	15.0 mm
Height	17.0 mm
Product weight	33.00 g

Colors & materials

Product color	Grey
---------------	------

Temperatures & operating conditions

Ambient temperature range	-20...+50 °C
---------------------------	--------------

Capabilities

Maximum installation height	5 m
Detection area	7 m ²
Detection angle	80 ° ¹⁾
Operating range, light sensor	20...800 lx ²⁾
Type of installation	Ceiling integration/Luminaire integration

¹⁾ Approximately

²⁾ Approximately, measured at the sensor






Certificates & standards

Type of protection	IP20
--------------------	------

Download Data

File

Product datasheet

	Product Datasheet 341819_DALleco LSPPD LI_datasheet (GB)
	Brochures DALleco: Multi-functional light management system (EN)
	Declarations of conformity 341817_CE_declaration_DALlecosystem
	Operating instructions 341218_DALleco LSPD LI
	CAD data 3-dim 341820_CAD Data_DALleco LSPD LI

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321988652		Shipping carton box 25	223 mm x 197 mm x 179 mm	7.86 dm ³	1706.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.